EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	35	GUALTIERI-DEVLIN-M.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 14:34
S2	1278	turbine and (blade fin inpeller vane) same ((inductor L) same (capacitor C) L$1C) same parallel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 14:34
S3	132	S2 and frequency	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 14:34
S4	55	("3177711" | "3619805" | "4186792" | "4230436" | "4417208" | "4563643" | "4604251" | "4644270" | "4842477" | "4843259" | "5126664" | "5180978" | "5497147" | "5504425" | "5742161" | "5854553" | "6069475" | "6211667" | "6288536" | "6335619" | "6346807" | "6433541" | "6462536" | "6566862" | "6658216").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 14:34
S5	11	("3177711").URPN.	USPAT	OR	ON	2008/02/01 14:34
S6	28	turbine and (RLC) same parallel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 14:34
S7	870	turbine and (blade fin impeller vane) and ((inductor L) same (capacitor C) L$1C R$1L$1C) and amplitude	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 14:34
S8	10075	324/207.11,207.15,207.16,207.17,207.23,207.25,207.26,225,234,236,239,654,655,658,173,166,164.ccls. 73/861.77,861.78,861.79,861.87.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 14:34

S9	501	S8 and turbine	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 14:34
S10	30	S9 and (blade fin impeller vane) and ((inductor L) same (capacitor C) LS1C R$1L$1C) and amplitude	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 14:34
S11	52	S9 and (blade fin impeller vane) and ((inductor L winding coil) same (capacitor C) LS1C RS1L$1C) and amplitude	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 14:34
S12	22	S11 not S10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 14:34
S13	1416	turbine and (blade fin impeller vane) same ((inductor L winding coil) same (capacitor C) LS1C RS1L$1C) same parallel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 14:34
S14	183	S13 and frequency	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 14:34
S15	51	S14 not S3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 14:34
S16	1284	S13 not S3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 14:34
S17	1233	S16 not S15	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 14:34

S18	1040	turbine and (blade fin impeller vane) and ((inductor L winding coil) same (capacitor C) L$1C R$1L$1C) and amplitude	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 14:34
S19	208	(co$1axial near3 cable) near10 (capacitor capacitance) same (coil winding) same parallel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 14:34
S20	21	("3609580" | "3851242" | "4042876" | "4059794" | "4160204" | "4414508" | "4450405" | "4580097" | "4598260" | "4659988" | "4841245" | "4847556" | "4851770" | "4875007" | "4952891" | "5144231" | "5180978" | "5198764" | "5365787" | "5420507" | "5459406").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/02/01 14:34
S21	25	("5854553").URPN.	USPAT	OR	ON	2008/02/01 14:34
S22	1278	turbine and (blade fin impeller vane) same ((inductor L) same (capacitor C) L$1C) same parallel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 14:34
S23	132	S22 and frequency	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 14:34
S24	11	("3177711").URPN.	USPAT	OR	ON	2008/02/01 14:34
S25	35	GUALTIERI-DEVLIN-M.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 14:34
S26	10075	324/207.11,207.15,207.16,207.17,207.17,207.23,207.25,207.26,225,234,236,239,654,655,658,173,166,164.ccls. 73/861.77,861.78,861.79,861.87. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 14:34
S27	501	S26 and turbine	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 14:34

S28	30	S27 and (blade fin impeller vane) and ((inductor L) same (capacitor C) L$1C R$1L$1C) and amplitude	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 14:34
S29	52	S27 and (blade fin impeller vane) and ((inductor L winding coil) same (capacitor C) L$1C R$1L$1C) and amplitude	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 14:34
S30	22	S29 not S28	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 14:34
S31	870	turbine and (blade fin impeller vane) and ((inductor L) same (capacitor C) L$1C R$1L$1C) and amplitude	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 14:34
S32	28	turbine and (RLC) same parallel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 14:34
S33	55	("3177711" | "3619805" | "4186792" | "4230436" | "4417208" | "4563643" | "4604251" | "4644270" | "4842477" | "4843259" | "5126664" | "5180978" | "5497147" | "5504425" | "5742161" | "5854553" | "6069475" | "6211667" | "6288536" | "6335619" | "6346807" | "6433541" | "6462536" | "6566862" | "6658216").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 14:34
S34	1416	turbine and (blade fin impeller vane) same ((inductor L winding coil) same (capacitor C) L$1C R$1L$1C) same parallel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 14:34
S35	183	S34 and frequency	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 14:34
S36	51	S35 not S23	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 14:34

S37	1284	S34 not S23	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 14:34
S38	1233	S37 not S36	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 14:34
S39	1040	turbine and (blade fin impeller vane) and ((inductor L winding coil) same (capacitor C) L$1C R$1L$1C) and amplitude	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 14:34
S40	208	(co$1axial near3 cable) near10 (capacitor capacitance) same (coil winding) same parallel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 14:34
S41	21	("3609580" | "3851242" | "4042876" | "4059794" | "4160204" | "4414508" | "4450405" | "4580097" | "4598260" | "4659988" | "4841245" | "4847556" | "4851770" | "4875007" | "4952891" | "5144231" | "5180978" | "5198764" | "5365787" | "5420507" | "5459405").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/02/01 14:34
S42	25	("5854553").URPN.	USPAT	OR	ON	2008/02/01 14:34
S43	6	(parallel with (LC inductor with capacitor tank resonan$7)) and (blade fin impeller vane) and turbine and (fin frequency) near3 demodulat$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 14:41
S44	30	(parallel with (LC inductor with capacitor tank resonan$7)) and (blade fin impeller vane) and (fm frequency) near3 demodulat$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 15:24
S45	13	(parallel with (LC inductor with capacitor tank resonan$7)) and (blade fin impeller vane) and turbine and demodulat$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 15:26
S46	155	(sens$3 probe transducer detect$3) same (turbine blade fin impeller vane) and (fm frequency) near3 demodulat$5 same (amplitude magnitude)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 16:37

S47	76	S46 and (inductor same capacitor resonan$5 tank LC)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 16:38
S48	90	S46 and ((coil winding inductor) same capacitor resonan$5 tank LC)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 16:38
S49	1	("2005/0088171").URPN.	USPAT	OR	ON	2008/02/01 16:42
S50	9	("2455345" | "2723562" | "3208269" | "3377556" | "4164866").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/02/01 17:04
S51	6	("5392657").URPN.	USPAT	OR	ON	2008/02/01 17:06
S52	24	(lc (inductor winding coil) same capacitor) same (turbine blade fin impeller vane) and (fm frequency) near3 demodulat$5 same (amplitude magnitude)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 17:10
S53	11	("3177711").URPN.	USPAT	OR	ON	2008/02/01 17:11
S54	3400	(induct$4 winding coil) with capacitor with (sens$3 probe transducer detect$3) same (parallel with (LC (induct$4 winding coil) with capacitor))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 17:37
S55	266	324/2$.ccls. and (induct$4 winding coil) with capacitor with (sens$3 probe transducer detect$3) same (parallel with (LC (induct$4 winding coil) with capacitor))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 17:41

2/2/2008 12:33:57 PM
C:\Documents and Settings\dschindler\My Documents\EAST\Workspaces\10696215RCE_A2.wsp